



SUPER CARRY



GETS WORK DONE

Since 1961 the Super Carry has been getting the job done. Now in its 11th generation, it's as dependable as ever. Whatever you need delivered, the Super Carry is designed to take on. Anywhere, any time: the reliability, cost-effectiveness, strength, and no-frills functionality of the Super Carry make it a business partner that works as hard as you do.

Low fuel-efficiency and running costs, along with Japanese reliability, make this a strong and trustworthy vehicle that is built to last. The Super Carry won't let you – or your business – down.



SUPER CARRY

Accessorised model shown*



THE POWER OF CONVENIENCE

While the design of the Super Carry is simple and straightforward, the cabin has what it takes to carry the load.

With a functional dashboard and 7-position drivers-seat slide, the interior of the Super Carry gives you all the movement you need, with none of the fuss.

The cabin has ample leg- and head-room, to ensure you get the job done without feeling cramped. The interior features:

- Sun visors
- Assist grips
- 12v accessory socket
- Driver's and passenger pockets with bottle holders

DESIGN

The Super Carry has been designed with your business needs in mind. Its strong, built-to-last petrol-driven power, 750kg load-capacity, and load box that is the widest in its class are all implemented with a no-nonsense approach to your business.

With the exterior features that allow you to secure any load, and a removable bed to allow for other body options, the Super Carry is the best choice for your business needs.



4.3m

EASE OF USE

Ease of use is a big part of the Super Carry's appeal. With a 4.3m turning radius and ground clearance of 175mm, the width of the Super Carry is easy to manoeuvre in any situation.

With practical and reliable design and structure, the Super Carry is a purpose-built drive that you can really depend on.



SUZUKI COMPLETE

Suzuki understands that purchasing a new vehicle is a substantial investment. Our unwavering commitment to customer satisfaction is represented in our 'Suzuki Complete' package, which includes every aspect of after-sales support, with warranty, service plan, and roadside assistance standard.

Warranty

All Suzuki models are covered by a comprehensive manufacturer's warranty against any defects for a period of 3-year/100 000km. This is supported by a six-year body corrosion warranty subject to terms and conditions. The comprehensive manufacturer's warranty is strictly reserved to new passenger cars purchased at Suzuki dealerships nationwide.

Service Intervals

15 000km or one year, whichever comes first.

Roadside Assistance

Every new Super Carry comes with a roadside assistance plan. Some of the benefits offered by this comprehensive package include: battery and locksmith call-out services, mechanical and electrical, breakdown towing (accident towing is optional), emergency medical rescue, vehicle repatriation and a stand-by-you roadside security armed-response service.

SUPER CARRY SPECIFICATIONS		
ENGINE		
Type		K12N
Number of Cylinders		4
Number of Valves		16
Piston Displacement	cm ³	1 197
Bore X Stroke	mm	73 x 71.5
Compression Ratio		12,0
Maximum Output	kW @ r/min	59/6,000
Maximum Torque	Nm @ r/min	104/2,900
Fuel Distribution		Multipoint injection
TRANSMISSION		
Type		5MT
Gear Ratio	1st	4,43
	2nd	2,30
	3rd	1,67
	4th	1,26
	5th	1,00
	Reverse	5,15
Final Gear Ratio		3,727
DIMENSIONS		
Overall Length	mm	3 800
Overall Width	mm	1 562
Overall Height	mm	1 883
Wheelbase	mm	2 110
Front Overhang	mm	925
Rear Overhang	mm	765
Tread Front	mm	1 345
Tread Rear	mm	1 330
Load Deck Length	mm	2 183
Load Deck Width	mm	1 488
Load Deck Height	mm	300
Minimum Ground Clearance	mm	175
CAPACITIES		
Seating Capacity	Persons	2
Fuel Tank Capacity	Litres	30

SUPER CARRY SPECIFICATIONS		
CHASSIS		
Steering		Rack & Pinion
Brakes Front		Ventilated Disc (13 inch)
Brakes Rear		Drum, Leading & Trailing
Suspension Front		MacPherson Strut with Coil Spring
Suspension Rear		Rigid Axle with Leaf Spring
Tyres	Steel Wheels with Centre Cap	155R13LT8PR
Spare Tyre & Wheel	Steel Wheel	155R13LT8PR
WEIGHTS		
Kerb Weight	kg	850
Maximum Payload	kg	750
Gross Vehicle Weight	kg	1 600

SUPER CARRY EQUIPMENT		
STEERING AND INSTRUMENT PANEL		
3 Spoke Steering Wheel		☞
EXTERIOR		
Tailgate Opening Functions		☞
Rope Hooks	Tailgate x3	☞
	Side Panels x8 (one side x4)	☞
Mud Flaps	Front	☞
VISIBILITY		
Headlamps	Halogen Multireflector	☞
Headlamp Levelling Device	Manual	☞
Wipers	Front: 2 Speeds (low; high)	☞
Outside Door Mirrors	Manually Adjustable	☞
DRIVING AMENITIES		
Manual Windows		☞
Rear Window with Slide Opening & Closing Function		☞
SEATS		
Driver Seat Slide Function (7-positions)		☞



All care is taken to ensure the accuracy of this brochure at the time of print approval. Specifications, features, prices and model availability may vary from those specified and may change without notice. Always consult your authorised Suzuki Dealer or refer to www.SuzukiAuto.co.za for the latest details on all models. SUZUKI AUTO South Africa (PTY) Ltd will not be held liable for any loss as a result of reliance on the content of this brochure, whether in negligence or otherwise. Vehicles are shown for illustrative purposes only and may not depict exact specifications. Published September 2023.

Part number 9900L-M77P1-BRO



SUZUKI AUTO SOUTH AFRICA (PTY) LTD | Tel: 0861 511 111
No.52 Saturn Crescent, Linbro Business Park, Frankenwald, Marlboro, Sandton
www.SuzukiAuto.co.za

